Docket No.: 0160-0193-0 PCT/hyc 3

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN RE APPLICATION OF: Hiroshi IKEDA, et al.

SERIAL NUMBER: 09/463,961

**GROUP: 1754** 

FILED: March 9, 2000

EXAMINER: Wayne A. LANGEL

FOR: PROCESS AND APPARATUS FOR TREATING SEMICONDUCTOR

PRODUCTION EXHAUST GASES

## REQUEST TO CORRECT FILING DATE

MAIL STOP ISSUE FEE COMMISSIONER FOR PATENTS P.O. BOX 1450 ALEXANDRIA, VA 22313-1450

SIR:

14

In the matter of the above-identified application, we hereby request correction of your records to reflect the correct filing date of the invention. The correct filing date of the invention should be: March 9, 2000, as evidenced by the copy of the date-stamped filing receipt.

Respectfully Submitted,

OBLON, SPIVAK, McCLELLAND, MAIER & NEUSTADT, P.C. Norman F. Oblon

Vincent K. Shier, Ph.D. Registration No. 50,552

Surinder Sachar Registration No. 34,423

Customer Number

22850

Tel. (703) 413-3000 Fax. (703) 413-2220 (OSMMN 05/04)

I:\user\HYCHO\NOA\RequestCorrect\125005(160-0193-0).DOC

DOCKET NO.: 0160-0193-0 PCT/hyc

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

IN RE APPLICATION OF: Hiroshi IKEDA, et al.

SERIAL NUMBER: 09/463,961

**GROUP: 1754** 

FILED: March 9, 2000

EXAMINER: Wayne A. LANGEL

FOR: PROCESS AND APPARATUS FOR TREATING SEMICONDUCTOR

PRODUCTION EXHAUST GASES

## REQUEST TO CORRECT TITLE OF INVENTION

MAIL STOP ISSUE FEE COMMISSIONER FOR PATENTS P.O. BOX 1450 ALEXANDRIA, VA 22313-1450

SIR:

Ì

In the matter of the above-identified application for patent, we hereby request correction of your records to reflect the correct title of the invention. The title of the invention should read as follows: <a href="PROCESS AND APPARATUS FOR TREATING">PROCESS AND APPARATUS FOR TREATING</a>
<a href="SEMICONDUCTOR PRODUCTION EXHAUST GASES">SEMICONDUCTOR PRODUCTION EXHAUST GASES</a>.

Respectfully Submitted,

OBLON, SPIVAK, McCLELLAND, MAIER & NEUSTADT, P.C. Norman F. Oblon

Vincent K. Shier, Ph.D. Registration No. 50,552

Customer Number

22850

Surinder Sachar Registration No. 34,423

Tel. (703) 413-3000 Fax. (703) 413-2220 (OSMMN 05/04)

I:\USER\HYCHO\NOA\REQUESTCORRECT\125005(0160-0193-0)TITLE.DOC